



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
www.uspto.gov

Date Mailed : 04/28/08

Patent No. : 7229702 B2  
Patent Issued : 06/12/07  
Docket No. : 03500.017132

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule(s) 1.322.

Respecting the alleged errors in the documents filed on 01/09/08; please see attachment.  
**"Therefore, no correction(s) is in order here under United States Codes (U.S.C.) 254 and the Code of Federal Regulation (C.F.R.) 1322."**

In view of the foregoing, your request in this matter is hereby denied.

~~A certificate of correction will be issued to correct the remaining errors noted in your request.~~

A handwritten signature in cursive script, reading "Lamonte M. Newsome".

Lamonte M. Newsome  
For Mary Diggs, Supervisor  
Decisions & Certificates  
Of Correction Branch  
(703) 305-8309 or (703)-308-9390 #112

**FITZPATRICK CELLA HARPER & SCINTO  
30 ROCKEFELLER PLAZA  
NEW YORK NY 10112**

LMN

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : April 02, 2008TO SPE OF : ART UNIT 1794SUBJECT : Request for Certificate of Correction for Appl. No.: 10/506300 Patent No.: 7229702 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW within 7 days, please complete and forward the response to the employee (named below) via scanning into application images using document code COGX.

## DO NOT SENT TO ATTORNEY

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

Certificates of Correction Branch (CofC)

South Tower - 9A22

Palm Location 7580

You can fax the Directors/SPE response to 571-270-9990

LAMONTE NEWSOME

Certificates of Correction Branch

703-308-9390 ext. 112

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ Approved

All changes apply.

☒ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments: Column 37, Structure 72 a-d - DENIED. The proposed  
new structure also has (a different) typographical error. Applicant  
has not included the BRACKET around the central 9, 9' -  
dimethyl ~~fluorene~~ fluorene to indicate 3-6 repeat units.

MILTON I. CANO  
SUPERVISORY PATENT EXAMINER

1794  
Art Unit